

2 Ply Monofilament White Heavy Polyurethane

Application

Food conveying/processing in general.
 High tensile strength.

Technical Data

	Imperial
Working Tension	114 PIW
Number of Plies	2
Top Surface	Matt
Bottom Surface	Bare Back
Overall Gauge (Approximate)	0.060 in.
Weight (Approximate)	0.35 lbs/sq.ft.
Bottom Coefficient of Friction	0.20 (approx.)
Minimum Recommended Pulley Diameter	0.6 in.
Working Temperature	-4 to 176 F
Joining Method	Finger Splice